





A beautiful naturally milled grain, Bruges reflects a cozy and refined patina inspired by the medieval city that bears is name.





The energetic color line emanates from an appreciativeness of the past, a love for the present, and enthusiasm for the future. Eye-catching natural tones complement a texture that begs to be touched.

radiant raspberry

soft seal











Whole Hide Grain Full Rejuvenate Oleosa

Content

Finish

Italy

Clean Soft Cleaner

**Protect** 

**Hide Type** Bovine

Configuration

Solid, Oil Pull Up

Aniline, Pull Up

**Average Hide Size** 50 FT2 (4.65m2)


**Country of Orgin** 

Protection Cream

Raw Material European



NOTE: Due to color variations on different monitors and color printers, before making exact color and texture matches, we recommend that you request an actual sample to ensure proper color representation as many monitors and printers cannot print colors accurately. CTL Leather is not responsible for color selections made from this lookbook.



Property	Test Method	Result
Average Thickness	ISO 2589	1.2 - 1.4 mm
Color Fastness to Artificial Light (Xenotest 72hrs)	ISO 105 B 02	>3 Blue Scale
Colour Fastness to Rubbing (Dry)	EN 13336	100 cycles
Colour Fastness to Rubbing (Wet)	EN 13336	50 cycles
Finishing Adhesion	ISO 11644	Min 2 N/cm
Flexing Endurance (after 20,000 cycles)	ISO 5402	No Damage
Cigarette Ignition Resistance	UFAC/NFPA 260	Class 1
Ignitability BS 5852-1 (Cigarette)	BS 5852:1 EN 1021:1	Pass
Ignitability BS 5852-2 (Match)	BS 5852:1 EN 1021:2	Pass
Ignitability BS 5852-5 (Wooden Crib)	BS 5852-5	Treatable
California Technical Bulletin 117	Cal Tech Bulletin 117-2013	Pass
Boston Fire Dept	BFD IX-I	Pass